

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.02.2021

Version: 9

Revision: 22.02.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: **OVEN FOAM**

Article number: 94690007

UFI: MFUF-0VNX-XS8Q-CQJ9

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category PC35 Washing and cleaning products (including solvent based products)

Application of the substance / the mixture Degreaser

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

ZEP ITALIA SRL

Piazzale Luigi Cadorna, 2 - Milano - (MI)

20123 Milano (MI) - Italy;

Via Nettunense Km. 25.000

04011 Aprilia (LT) - Italy

T: +39.06.926691

F: +39.06.92747061

@: tecnico@zpeurope.com

Sito: www.zep.it

ZEP Industries BV

Vierlinghweg 30

4612 PN Bergen op Zoom

The Netherlands

Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117

Fax: (NL) + 31 164 266 710 (B) + 32 2 347 1395

@: info@zepbenelux.com

#### Further information obtainable from:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

1.4 Emergency telephone number: NHS +44 0845 46 47 (England or Wales); +44 08454 24 24 24 (Scotland)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms



GHS05

#### Signal word Danger

#### Hazard-determining components of labelling:

Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.

sodium hydroxide

#### Hazard statements

H314 Causes severe skin burns and eye damage.

#### Precautionary statements

P260 Do not breathe vapours.

P280 Wear eye protection / face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 22.02.2021

Version: 9

Revision: 22.02.2021

**Trade name: OVEN FOAM**

(Contd. of page 1)

P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 **Immediately call a POISON CENTER/doctor.**

P501 **Dispose of contents/container in accordance with local/regional/national/international regulations.**

· **2.3 Other hazards** The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

#### · **Dangerous components:**

CAS: 85536-14-7 EINECS: 287-494-3 Reg.nr.: 01-2119490234-40-xxxx	Benzenesulfonic acid, 4-C10-13-sec-alkylderivs. ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302 Aquatic Chronic 3, H412	5-10%
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6 Reg.nr.: 01-2119457892-27-xxxx	sodium hydroxide ⚠ Met. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318 Specific concentration limits: Skin Corr. 1A; H314: $C \geq 5\%$ Skin Corr. 1B; H314: $2\% \leq C < 5\%$ Skin Irrit. 2; H315: $0.5\% \leq C < 2\%$ Eye Irrit. 2; H319: $0.5\% \leq C < 2\%$	$\geq 3 - < 5\%$
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36-xxxx	2-butoxyethanol ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	2.5-5%
CAS: 107-41-5 EINECS: 203-489-0 Index number: 603-053-00-3 Reg.nr.: 01-211-9539582-35-xxxx	2-Methylpentane-2,4-diol ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-2.5%

· **Additional information: Ingredients according to Detergents Regulation 648/2004/EC**

For the wording of the listed hazard phrases refer to section 16.

Anionic surfactants	$\geq 5 - < 15\%$
Amphoteric surfactants, Nonionic surfactants, EDTA and salts thereof	$< 5\%$
Perfumes (DIPENTENE)	

### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

#### · **After skin contact:**

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### SECTION 5: Firefighting measures

#### · 5.1 Extinguishing media

· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

· **5.2 Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.02.2021

Version: 9

Revision: 22.02.2021

Trade name: **OVEN FOAM**

(Contd. of page 2)

- **5.3 Advice for firefighters**
- **Protective equipment:** Mount respiratory protective device.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, universal binders).  
Use neutralising agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see item 7.

### · **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 1310-73-2 sodium hydroxide**

WEL (Great Britain)	Short-term value: 2 mg/m <sup>3</sup>
---------------------	---------------------------------------

**CAS: 111-76-2 2-butoxyethanol**

WEL (Great Britain)	Short-term value: 246 mg/m <sup>3</sup> , 50 ppm
	Long-term value: 123 mg/m <sup>3</sup> , 25 ppm
	Sk, BMGV

IOELV (European Union)	Short-term value: 246 mg/m <sup>3</sup> , 50 ppm
	Long-term value: 98 mg/m <sup>3</sup> , 20 ppm
	Skin

**CAS: 107-41-5 2-Methylpentane-2,4-diol**

WEL (Great Britain)	Short-term value: 123 mg/m <sup>3</sup> , 25 ppm
	Long-term value: 123 mg/m <sup>3</sup> , 25 ppm

### · **DNELs**

**CAS: 85536-14-7 Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.**

Oral	DNEL Long term-systemic	0.85 mg/kg human/day (consumer)
Dermal	DNEL Long term-systemic	85 mg/kg human/day (consumer)
		170 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m <sup>3</sup>	3 mg/m <sup>3</sup> (consumer)
		12 mg/m <sup>3</sup> (worker)
	DNEL Long term local mg/m <sup>3</sup>	3 mg/m <sup>3</sup> (consumer)
		12 mg/m <sup>3</sup> (worker)

(Contd. on page 4)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.02.2021

Version: 9

Revision: 22.02.2021

**Trade name: OVEN FOAM**

(Contd. of page 3)

**CAS: 1310-73-2 sodium hydroxide**

Inhalative	DNEL Long term-systemic mg/m3	1 mg/m3 (-)
------------	-------------------------------	-------------

**CAS: 107-41-5 2-Methylpentane-2,4-diol**

Oral	DNEL Long term-systemic	1 mg/kg human/day (consumer)
Dermal	DNEL Long term-systemic	1 mg/kg human/day (consumer)
		2 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m3	3.5 mg/m3 (consumer)
		14 mg/m3 (worker)
	DNEL Acute-systemic mg/m3	49 mg/m3 (consumer)
		98 mg/m3 (worker)

· **PNECs****CAS: 85536-14-7 Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.**

PNEC Freshwater mg/L	0.287 mg/L
PNEC Marinewater mg/L	0.0287 mg/L
PNEC Freshwater sediment	0.287 mg/Kg
PNEC Marine water sediment	0.287 mg/Kg
PNEC Intermittent release	0.0167 (mg/L)
PNEC Soil	35 mg/Kg
PNEC Sewage treatment Plant mg/L	3.43 mg/L

**CAS: 107-41-5 2-Methylpentane-2,4-diol**

PNEC Freshwater mg/L	0.429 mg/L
PNEC Marinewater mg/L	0.0429 mg/L
PNEC Sewage treatment Plant mg/L	20 mg/L

· **Ingredients with biological limit values:****CAS: 111-76-2 2-butoxyethanol**

BMGV (Great Britain)	240 mmol/mol creatinine
	Medium: urine
	Sampling time: post shift
	Parameter: butoxyacetic acid

· **Additional information:** The lists valid during the making were used as basis.· **8.2 Exposure controls**· **Personal protective equipment:**· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing  
 Wash hands before breaks and at the end of work.  
 Do not inhale gases / fumes / aerosols.  
 Avoid contact with the eyes.  
 Avoid contact with the eyes and skin.

· **Respiratory protection:** Not required.· **Protection of hands:**

Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.  
 The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **Not suitable are gloves made of the following materials:** Strong material gloves

(Contd. on page 5)

GB

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.02.2021

Version: 9

Revision: 22.02.2021

Trade name: **OVEN FOAM**

(Contd. of page 4)

· Eye protection:



Tightly sealed goggles

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

Form: Viscous

Colour: Brown

· Odour: Characteristic

· Odour threshold: Not determined.

· pH-value: Not determined.

##### · Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 100 °C

· Flash point: Not applicable.

· Flammability (solid, gas): Not applicable.

· Ignition temperature: ~310 °C

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.  
Not determined.

##### · Explosion limits:

Lower: Not determined.

Upper: Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density at 20 °C: 1.07 g/cm<sup>3</sup>

· Relative density: Not determined.

· Vapour density: Not determined.

· Evaporation rate: Not determined.

· Solubility in / Miscibility with water:

Fully miscible.

· Partition coefficient: n-octanol/water: Not determined.

##### · Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

##### · Solvent content:

Organic solvents: 4.8 %

Swiss VOC: 4.77 %

Solids content: 5.8 %

· 9.2 Other information: No further relevant information available.

### SECTION 10: Stability and reactivity

· 10.1 Reactivity: No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions: No dangerous reactions known.

· 10.4 Conditions to avoid: No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.02.2021

Version: 9

Revision: 22.02.2021

Trade name: **OVEN FOAM**

(Contd. of page 5)

· **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

· **11.1 Information on toxicological effects**· **Acute toxicity** Based on available data, the classification criteria are not met.· **LD/LC50 values relevant for classification:****ATE (Acute Toxicity Estimates)**

Oral	LD50	5,114 mg/kg
Dermal	LD50	42,105 mg/kg
Inhalative	LC50 / 4 h	46.5 mg/l (Rat)

**CAS: 85536-14-7 Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.**

Oral	LD50	1,470 mg/kg (Rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (Rat)

**CAS: 1310-73-2 sodium hydroxide**

Oral	LD50	3,500 mg/kg (Rat)
	LC50	35 mg/l (fish)
	EC50	40.4 mg/ltr (-)

**CAS: 111-76-2 2-butoxyethanol**

Oral	LD50	470 mg/kg (Rat)
		300 mg/kg (Rabbit)
Dermal	LD50	2,000 mg/kg (rab)
		mg/kg (Rat)
Inhalative	LC50 / 4 h	2.21 mg/l (Rat)
	LC50 / 48 h	mg/ltr (Daphnia magna (water flea))

**CAS: 107-41-5 2-Methylpentane-2,4-diol**

Oral	LD50	>3,500 mg/kg (Rat)
Dermal	LD50	>5,000 mg/kg (Rabbit)

· **Primary irritant effect:**· **Skin corrosion/irritation**

Causes severe skin burns and eye damage.

· **Serious eye damage/irritation**

Causes serious eye damage.

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.· **Additional toxicological information:**· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.· **Carcinogenicity** Based on available data, the classification criteria are not met.· **Reproductive toxicity** Based on available data, the classification criteria are not met.· **STOT-single exposure** Based on available data, the classification criteria are not met.· **STOT-repeated exposure** Based on available data, the classification criteria are not met.· **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

· **12.1 Toxicity**· **Aquatic toxicity:****CAS: 85536-14-7 Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.**

LC50 / 96 h	>1-10 mg/ltr (Cyprinus Carpio) (OECD 203)
	>1-10 mg/ltr (Lepomis Macrochirus (Bluegill Sunfish))
	1-10 mg/ltr (Brachydanio rerio)
EC 50 / 48 h	>1-10 mg/ltr (Daphnia magna (water flea)) (OECD 202)
EC 50 / 72 h	>10-100 (Desmodesmus subspicatus) (mg/L OECD 201)
OECD test 301 A	>70 (biodegradation in % after 28 days)

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.02.2021

Version: 9

Revision: 22.02.2021

**Trade name: OVEN FOAM**

(Contd. of page 6)

**CAS: 1310-73-2 sodium hydroxide**LC50 / 96 h 125 mg/ltr (*Gambusia affinis*)**CAS: 111-76-2 2-butoxyethanol**LC50 / 96 h 1,490 mg/ltr (*Lepomis Macrochirus (Bluegill Sunfish)*)**CAS: 107-41-5 2-Methylpentane-2,4-diol**LC50 / 96 h 9,450 mg/ltr (*Oncorhynchus mykiss (Rainbow trout)*)8,690 mg/ltr (*Pimephales promelas*)EC 50 / 48 h 5,410 mg/ltr (*Daphnia magna (water flea)*)· **12.2 Persistence and degradability** No further relevant information available.· **Other information:** The product is biodegradable.· **12.3 Bioaccumulative potential** No further relevant information available.· **12.4 Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Must not reach sewage water or drainage ditch undiluted or unneutralised.

In accordance with the requirements of the RVO in the Act on Detergents and Cleansing Agents, tensides are biodegradable up to at least 90 %.

· **12.5 Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations**· **13.1 Waste treatment methods**· **Recommendation** Disposal must be made according to official regulations· **European waste catalogue**

HP8 Corrosive

· **Uncleaned packaging:**· **Recommendation:** Disposal in accordance with administrative provisions**SECTION 14: Transport information**· **14.1 UN-Number**· **ADR, IMDG, IATA**

UN1719

· **14.2 UN proper shipping name**· **ADR**

1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE)

· **IMDG, IATA**

CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE)

· **14.3 Transport hazard class(es)**· **ADR**· **Class**

8 (C5) Corrosive substances.

· **Label**

8

· **IMDG, IATA**· **Class**

8 Corrosive substances.

· **Label**

8

(Contd. on page 8)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.02.2021

Version: 9

Revision: 22.02.2021

Trade name: **OVEN FOAM**

(Contd. of page 7)

· <b>14.4 Packing group</b> · <b>ADR, IMDG, IATA</b>	III
· <b>14.5 Environmental hazards:</b> · <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b> · <b>Hazard identification number (Kemler code):</b> · <b>EMS Number:</b> · <b>Segregation groups</b> · <b>Stowage Category</b> · <b>Segregation Code</b>	Warning: Corrosive substances. 80 F-A,S-B Alkalis A SG22 Stow "away from" ammonium salts SG35 Stow "separated from" SGG1-acids
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b> · <b>Limited quantities (LQ)</b> · <b>Excepted quantities (EQ)</b>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b> · <b>Tunnel restriction code</b>	3 E
· <b>IMDG</b> · <b>Limited quantities (LQ)</b> · <b>Excepted quantities (EQ)</b>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE), 8, III

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
Reg. (EC) n. 1272/2008 - CLP;  
Reg. (EC) n. 2015/830 annex II of REACH;  
Dir. 06/08 ADR – RID - IMDG - IATA;  
Dir. 12/18 (Seveso III);  
Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)
- **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.  
sodium hydroxide
- **Hazard statements**  
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**  
P260 Do not breathe vapours.  
P280 Wear eye protection / face protection.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.

(Contd. on page 9)

GB

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.02.2021

Version: 9

Revision: 22.02.2021

**Trade name: OVEN FOAM**

(Contd. of page 8)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **National regulations:**

· **Technical instructions (air):**

Class	Share in %
NK	4.8

- **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H290 May be corrosive to metals.  
 H302 Harmful if swallowed.  
 H312 Harmful in contact with skin.  
 H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H319 Causes serious eye irritation.  
 H332 Harmful if inhaled.  
 H412 Harmful to aquatic life with long lasting effects.

· **Department issuing SDS:**

Customer Service  
 NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710  
 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395  
 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61  
 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· **Contact:**

Customer Service  
 NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710  
 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395  
 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61  
 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 DNEL: Derived No-Effect Level (REACH)  
 PNEC: Predicted No-Effect Concentration (REACH)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 WELL: The highest acceptable concentration  
 IOELV: Indicative occupational exposure limit values  
 Met. Corr.1: Corrosive to metals – Category 1  
 Acute Tox. 4: Acute toxicity – Category 4  
 Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

(Contd. on page 10)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.02.2021

Version: 9

Revision: 22.02.2021

**Trade name: OVEN FOAM**

(Contd. of page 9)

· \* *Data compared to the previous version altered.*

GB

(Contd. on page 11)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.02.2021

Version: 9

Revision: 22.02.2021

Trade name: **OVEN FOAM**

(Contd. of page 10)

### Annex: Exposure scenario

· **Short title of the exposure scenario**

For the finished product.

PERFECTA FRITEUSE REINIGER

HEGRO FRITEUSE REINIGER

FS DEVORAX (replaced by 0240)

KEM KLEAN

FRITUUR CONSULTING FRITUUR REINIGER

KEM KLEAN FRANCE

OVEN FOAM

ILPA FOROVEN

· **Sector of Use SU22** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· **Product category PC35** Washing and cleaning products (including solvent based products)

· **Description of the activities / processes covered in the Exposure Scenario** See section 1 of the annex to the Safety Data Sheet.

· **Conditions of use**

· **Duration and frequency** 5 workdays/week.

· **Physical parameters**

· **Physical state** Fluid

· **Concentration of the substance in the mixture** The substance is main component.

· **Used amount per time or activity** According to directions for use.

· **Other operational conditions**

· **Other operational conditions affecting environmental exposure** No special measures required.

· **Other operational conditions affecting worker exposure**

Avoid contact with eyes.

Avoid contact with the skin.

· **Other operational conditions affecting consumer exposure** Keep out of the reach of children.

· **Other operational conditions affecting consumer exposure during the use of the product** Not applicable.

· **Risk management measures**

· **Worker protection**

· **Organisational protective measures** No special measures required.

· **Technical protective measures** Ensure that suitable extractors are available on processing machines

· **Personal protective measures**

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes.

Tightly sealed goggles

· **Measures for consumer protection**

Ensure adequate labelling.

Keep locked up and out of the reach of children.

· **Environmental protection measures**

· **Water** Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.

· **Disposal measures**

Disposal in accordance with administrative provisions

Ensure that waste is collected and contained.

· **Disposal procedures** Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Waste type** Partially emptied and uncleaned packaging

· **Exposure estimation**

· **Consumer** Not relevant for this Exposure Scenario.

· **Guidance for downstream users** No further relevant information available.